

Year 2009

- Anastasiadou E, Boccellato F, Rosato P, Junker S, Winberg G, Frati L, Wade P, Faggioni A, Trivedi P. Epstein-Barr virus infection leads to phenotypic reversion of terminally differentiated B cells of malignant origin. *Cancer Lett.* 2009, 284: 165-174. doi: 10.1016/j.canlet.2009.04.025.
- Angelucci F, Sayed AA, Williams DL, Boumis G, Brunori M, Dimastrogiovanni D, Miele AE, Pauly F, Bellelli A. Inhibition of *Schistosoma mansoni* thioredoxin-glutathione reductase by auranofin: structural and kinetic aspects. *J Biol Chem.* 2009, 284: 28977-85. doi: 10.1074/jbc.M109.020701.
- Antonangeli F, Giampietri C, Petrungaro S, Filippini A, Ziparo E. Expression profile of a 400-bp Stra8 promoter region during spermatogenesis. *Microsc Res Tech.* 2009, 72: 816-22. doi: 10.1002/jemt.20724.
- Aucello M, Dobrowolny G, Musarò A. Localized accumulation of oxidative stress causes muscle atrophy through activation of an autophagic pathway. *Autophagy.* 2009, 5: 527-9. doi: 10.4161/auto.5.4.7962.
- Ballarino M, Pagano F, Girardi E, Morlando M, Cacchiarelli D, Marchioni M, Proudfoot NJ, Bozzoni I. Coupled RNA processing and transcription of intergenic primary microRNAs. *Mol Cell Biol.* 2009, 29: 5632-8. doi:10.1128/MCB.00664-09.
- Barberi L, Dobrowolny G, Pelosi L, Giacinti C, Musarò A. Muscle involvement and IGF-1 signaling in genetic disorders: new therapeutic approaches. *Endocr Dev.* 2009, 14: 29-37. doi: 10.1159/000207474.
- Belleudi F, Leone L, Maggio M, Torrì MR. Hrs regulates the endocytic sorting of the fibroblast growth factor receptor 2b. *Exp Cell Res.* 2009, 315: 2181-91. doi:10.1016/j.yexcr.2009.03.022.
- Benelli D, Londei P. Begin at the beginning: evolution of translational initiation. *Res Microbiol.* 2009, 160: 493-501. doi:10.1016/j.resmic.2009.06.003.
- Benelli D, Marzi S, Mancone C, Alonzi T, la Teana A, Londei P. Function and ribosomal localization of aIF6, a translational regulator shared by archaea and eukarya. *Nucleic Acids Res.* 2009, 37: 256-67. doi: 10.1093/nar/gkn959.
- Borisov VB, Forte E, Giuffrè A, Konstantinov A, Sarti P. Reaction of nitric oxide with the oxidized di-heme and heme-copper oxygen-reducing centers of terminal oxidases: Different reaction pathways and end-products. *J Inorg Biochem.* 2009, 103: 1185-7. doi:10.1016/j.jinorgbio.2009.06.002.
- Bucciarelli E, Pellacani C, Naim V, Palena A, Gatti M, Somma MP. Drosophila Dgt6 protein interacts with Ndc80, Msps/XMAP215 and gamma-tubulin to promote kinetochore-driven MT formation. *Curr Biol.* 2009, 19: 1839-45. doi:10.1016/j.cub.2009.09.043.
- Caiafa P, Guastafierro T, Zampieri M. Epigenetics: poly(ADP-ribosyl)ation of PARP-1 regulates genomic methylation patterns. *FASEB J.* 2009, 23: 672-8. doi: 10.1096/fj.08-123265.
- Caiafa P, Zlatanova J. CCCTC-binding factor meets poly(ADP-ribose) polymerase-1. *J Cell Physiol.* 2009, 219: 265-70. doi: 10.1002/jcp.21691.
- Canetti G, Coni S, Della Guardia M, Nocerino V, Antonucci L, Di Magno L, Screaton R, Screpanti I, Giannini G, Gulino A. The coactivator CRTCL1 promotes cell proliferation and transformation via AP-1. *Proc Natl Acad Sci USA.* 2009, 106: 1445-50. doi: 10.1073/pnas.0808749106.
- Canterini S, Bosco A, De Matteis V, Mangia F, Fiorenza MT. THG-1p1t moves to nucleus at the onset of cerebellar granule neurons apoptosis. *Mol and Cell Neurosci.* 2009, 40: 249-57. doi: 10.1016/j.mcn.2008.10.013.
- Casasoli M, Federici L, Spinelli F, Di Matteo A, Vella N, Scaloni F, Fernandez-Rrecio J, Cervone F, De Lorenzo G. Integration of evolutionary and desolvation energy analysis identifies functional sites in a plant immunity protein. *Proc Natl Acad Sci USA.* 2009, 106: 7666-71. doi: 10.1073/pnas.0812625106.
- Cerboni C, Ardolino M, Santoni A, Zingoni A. Detuning CD8+ T lymphocytes by down-regulation of the activating receptor NKG2D: role of NKG2D ligands released by activated T cells. *Blood.* 2009, 113: 2955-64. doi: 10.1182/blood-2008-06-165944.
- Cigana C, Curcurù L, Leone MR, Ierandò T, Lorè NI, Bianconi I, Silipo A, Cozzolino F, Lanzetta R, Molinaro A, Bernardini ML, Bragonzi A. *Pseudomonas aeruginosa* exploits lipid A and mucopeptides modification as a strategy to lower innate immunity during cystic fibrosis lung infection. *PLoS One.* 2009, 4:e8439. doi: 10.1371/journal.pone.0008439.
- Cirilli R, Ferretti R, La Torre F, Borioni A, Fares V, Camalli M, Faggi C, Rotili D, Mai A. Chiral HPLC separation and absolute configuration of novel S-DABO derivatives. *Chirality.* 2009, 21: 604-12. doi: 10.1002/chir.20654.

BIBLIOGRAPHY 2009

- Colletti M, Cicchini C, Conigliaro A, Santangelo L, Alonzi T, Pasquini E, Tripodi M, Amicone L. Convergence of Wnt signaling on the HNF4 α -driven transcription in controlling liver zonation. *Gastroenterology*. 2009, 137: 660-72. doi:10.1053/j.gastro.2009.05.038.
- Costanzo G, Pino S, Ciciriello F, Di Mauro E. Generation of long RNA chains in water. *J Biol Chem*. 2009, 284: 33206-16. doi: 10.1074/jbc.M109.041905.
- Cozzetto D, Kryshchak A, Fidelis K, Moulton J, Rost B, Tramontano A. Evaluation of template-based models in CASPs with standard measures. *Proteins*. 2009, 77: 18-28. doi: 10.1002/prot.22561.
- Cozzetto D, Kryshchak A, Tramontano A. Evaluation of CASPs model quality predictions. *Proteins*. 2009, 77: 157-66. doi: 10.1002/prot.22561.
- De Luca C, Zhou Y, Montanari A, Morea V, Oliva R, Besagni C, Bolotin-Fukuhara M, Frontali L, Francisci S. Can yeast be used to study mitochondrial diseases? Biostatic tRNA mutants for the analysis of mechanisms and suppressors. *Mitochondrion*. 2009, 9: 408-17. doi: 10.1016/j.mito.2009.07.004.
- De Marchis ML, Ballarino M, Salvatori B, Puzzolo MC, Bozzoni I, Fatica A. A new molecular network comprising PU.1, interferon regulatory factor proteins and miR-342 stimulates ATRA-mediated granulocytic differentiation of acute promyelocytic leukemia cells. *Leukemia* 2009, 23: 856-62. doi:10.1038/leu.2008.372.
- Di Domenico EG, Auriche C, Viscardi V, Longhese MP, Gilson E, Ascenzioni F. The Mec1p and Tel1p checkpoint kinases allow humanized yeast to tolerate chronic telomere dysfunctions by suppressing telomere fusions. *DNA Rep*. 2009, 8: 209-18. doi: 10.1016/j.dnarep.2008.10.005.
- Fatica A, Bozzoni I. Role of microRNAs in hematological malignancies. *Expert Review Hematol*. 2009, 2: 415-23. doi: 10.1586/ehm.09.32.
- Ferretti E, De Smaele E, Po A, Di Marcotullio L, Tosi E, Espinola MS, Di Rocco C, Riccardi R, Giangaspero F, Farcomeni A, Nofroni I, Laneve P, Gioia U, Caffarelli E, Bozzoni I, Screpanti I, Gulino A. MicroRNA profiling in human medulloblastoma. *Int J Cancer*. 2009, 124: 568-77. doi: 10.1002/ijc.23948.
- Fionda C, Soriani A, Malgarini G, Iannitto ML, Santoni A, Cippitelli M. Heat shock protein-90 inhibitors increase MHC class I-related chain A and B ligand expression on multiple myeloma cells and their ability to trigger NK cell degranulation. *J Immunol*. 2009, 183: 4385-94. doi: 10.4049/jimmunol.0901797.
- Franceschini D, Paroli M, Francavilla V, Videtta M, Morrone S, Labbadia G, Cerino A, Mondelli MU, Barnaba V. PD-L1 negatively regulates CD4⁺CD25⁺Foxp3⁺ Tregs by limiting STAT-5 phosphorylation in patients chronically infected with HCV. *J Clin Invest*. 2009, 119: 551-64. doi: 10.1172/JCI36604.
- Gandhi AK, Ghatge M, Musayev FN, Sease A, Aboagye SO, di Salvo ML, Schirch V, Safo MK. Kinetic and structural studies of the role of the active site residue Asp235 of human pyridoxal kinase. *Biochem Biophys Res Commun* 2009, 381: 12-15. doi: 10.1016/j.bbrc.2009.01.170.
- Gianni S, Brunori M, Jemth P, Oliveberg M, Zhang M. Distinguishing between smooth and rough free energy barriers in protein folding. *Biochemistry*. 2009, 48: 11825-30. doi: 10.1021/bi901585q.
- Grisanti L, Corallini S, Fera S, Muciaccia B, Witke W, Stefanini M, Vicini E. Inactivation of numb and numlike in spermatogonial stem cells by cell-permeant Cre recombinase. *Differentiation*. 2009, 78:131-136. doi:10.1016/j.diff.2009.05.005.
- Grisanti L, Falcatori I, Grasso M, Dovere L, Fera S, Muciaccia B, Fuso A, Berno V, Boitani C, Stefanini M, Vicini E. Identification of spermatogonial stem cell subsets by morphological analysis and prospective isolation. *Stem Cell*. 2009, 27: 3043-52. doi: 10.1002/stem.206.
- Hofmann L, Saunier R, Cossard R, Esposito M, Rinaldi T, Delahodde A. A non-proteolytic activity of the proteasome controls fission of organelles in yeast. *J of Cell Science*. 2009, 122: 3673-83. doi: 10.1242/jcs.050229.
- Islas-Rodríguez AE, Marcellini L, Orioni B, Barra D, Stella L, Mangoni ML. Esculentin 1-21: a linear antimicrobial peptide from frog skin with inhibitory effect on bovine mastitis-causing bacteria. *J Pept Sci*. 2009, 15: 607-14. doi: 10.1002/psc.1148.
- Ivarsson Y, Travaglini-Allocatelli C, Brunori M, Gianni S. Engineered symmetric connectivity of secondary structure elements highlights malleability of protein folding pathways. *J Am Chem Soc*. 2009, 131: 11727-33. doi: 10.1021/ja900438b.
- Lara E, Mai A, Calvanese V, Altucci L, López-Nieva P, Martínez-Chantar ML, Varela-Rey M, Rotili D, Nebbioso A, Roperio S, Montoya G, Oyarzabal J, Velasco S, Serrano M, Witt M, Villar-Garea A, Imhof A, Mato JM, Esteller M, Fraga MF. Salermide, a Sirtuin inhibitor with a strong cancer-specific proapoptotic effect. *Oncogene*. 2009, 28: 781-91. doi:10.1038/onc.2008.436.

- Loewenstein Y, Raimondo D, Redfern OC, Watson J, Frishman D, Linial M, Orengo C, Thornton J, Tramontano A. Protein function annotation by homology-based inference. *Genome Biol.* 2009, 10: Article 207. doi: 10.1186/gb-2009-10-2-207.
- Lulli P, Mangano VD, Onori A, Batini C, Luoni G, Sirima BS, Nebie I, Chessa L, Petrarca V, Modiano D. HLA-DRB1 and -DQB1 loci in three west African ethnic groups: genetic relationship with sub-Saharan African and European populations. *Hum Immunol.* 2009, 42:903-9. doi: 10.1016/j.humimm.2009.07.025.
- Maggi L, Trettel F, Scianni M, Bertollini C, Eusebi F, Fredholm BB, Limatola C. LTP impairment by fractalkine/CX3CL1 in mouse hippocampus is mediated through the activity of adenosine receptor type 3 (A3R). *J Neuroimmunol.* 2009, 215: 36-42. doi: 10.1016/j.jneuroim.2009.07.016.
- Mai A, Altucci L. Epi-drugs to fight cancer: From chemistry to cancer treatment, the road ahead. *Int J Biochem Cell Biol.* 2009, 41: 199-213. doi: 10.1016/j.biocel.2008.08.020.
- Mai A, Rotili D, Tarantino D, Nebbioso A, Castellano S, Sbardella G, Tini M, Altucci L. Identification of 4-hydroxyquinolines inhibitors of p300/CBP histone acetyltransferases. *Bioorg Med Chem Lett.* 2009, 19: 1132-5. doi: 10.1016/j.bmcl.2008.12.097.
- Mai A, Rotili D, Valente S, Kazantsev AG. Histone deacetylase inhibitors and neurodegenerative disorders: holding the promise. *Curr Pharm Des.* 2009, 15: 3940-57.
- Mai A, Valente S, Meade S, Carafa V, Tardugno M, Nebbioso A, Galmozzi A, Mitro N, De Fabiani E, Altucci L, Kazantsev A. Study of 1,4-dihydropyridine structural scaffold: discovery of novel sirtuin activators and inhibitors. *J Med Chem.* 2009, 52: 5496-5504. doi: 10.1021/jm9008289.
- Mai A, Valente S, Nebbioso A, Simeoni S, Ragno R, Massa S, Brosch G, De Bellis F, Manzo F, Altucci L. New pyrrole-based histone deacetylase inhibitors: Binding mode, enzyme- and cell-based investigations. *Int J Biochem Cell Biol.* 2009, 41: 235-47. doi: 10.1016/j.biocel.2008.09.002.
- Maisetta G, Mangoni ML, Esin S, Pichierri G, Capria AL, Brancatisano FL, Di Luca M, Barnini S, Barra D, Campa M, Batoni G. *In vitro* bactericidal activity of the N-terminal fragment of the frog peptide esculentin-1b (Esc 1-18) in combination with conventional antibiotics against *Stenotrophomonas maltophilia*. *Peptides.* 2009, 30: 1622-6. doi: 10.1016/j.peptides.2009.06.004.
- Mangoni ML, Shai Y. Temporins and their synergism against Gram-negative bacteria and in lipopolysaccharide detoxification. *Biochim Biophys Acta.* 2009, 1788: 1610-19. doi: 10.1016/j.bbamem.2009.04.021.
- Marcellini L, Borro M, Gentile G, Rinaldi AC, Stella L, Aimola P, Barra D, Mangoni ML. Esculentin-1b(1-18)--a membrane-active antimicrobial peptide that synergizes with antibiotics and modifies the expression level of a limited number of proteins in *Escherichia coli*. *FEBS J.* 2009, 276: 5647-64. doi: 10.1111/j.1742-4658.2009.07257.x.
- Marsango S, Bonaccorsi di Patti MC, Barra D, Miele R. The Bv8 gene from *Bombina orientalis*: molecular cloning, genomic organization and functional characterization of the promoter. *Peptides.* 2009, 30: 2182-90. doi: 10.1007/s00018-010-0601-6.
- Mathieu A, Paladini F, Vacca A, Cauli A, Fiorillo MT, and Sorrentino R. The interplay between the geographic distribution of HLA-B*27 alleles and their role in disease: an unifying hypothesis. *Autoimmun Rev.* 2009, 8: 420-25. doi: 10.1016/j.autrev.2009.01.003.
- Matusali G, Arena G, De Leo A, Di Renzo L, Mattia E. Inhibition of p38 MAP kinase pathway induces apoptosis and prevents Epstein Barr virus reactivation in Raji cells exposed to lytic cycle inducing compounds. *Mol Cancer.* 2009, 8: 18. doi: 10.1186/1476-4598-8-18.
- Maullu C, Raimondo D, Caboi F, Giorgetti A, Sergi M, Valentini M, Tonon G, Tramontano A. Site-directed enzymatic PEGylation of the human granulocyte colony-stimulating factor. *FEBS J.* 2009, 276: 6741-50. doi: 10.1111/j.1742-4658.2009.07387.x.
- Mazzoni C, Torella M, Petrerà A, Palermo V, Falcone C. PGK1, the gene encoding the glycolytic enzyme phosphoglycerate kinase, acts as a multicopy suppressor of apoptotic phenotypes in *S. cerevisiae*. *Yeast.* 2009, 26: 31-7. doi: 10.1002/yea.1647.
- Messina S, Bitto A, Aguenouz M, Mazzeo A, Migliorato A, Polito F, Irrera N, Altavilla D, Vita GL, Russo M, Naro A, De Pasquale MG, Rizzuto E, Musarò A, Squadrito F, Vita G. Flavocoxid counteracts muscle necrosis and improves functional properties in mdx mice: a comparison study with methylprednisolone. *Exp Neurol.* 2009, 220: 349-58. doi: 10.1016/j.expneurol.2009.09.015.
- Micheli E, D'Ambrosio D, Franceschin M, Savino M. Water soluble cationic perylene derivatives as possible telomerase inhibitors: the search for selective G-quadruplex targeting. *Mini Rev Med Chem.* 2009, 9: 1622-32. doi: 10.2174/138955709791012274.

BIBLIOGRAPHY 2009

- Micheli E, Lombardo CM, D'Ambrosio D, Franceschin M, Neidle S, Savino M. Selective G-quadruplex ligands: the significant role of side chain charge density in a series of perylene derivatives. *Bioorg Med Chem Lett*. 2009, 19: 3903-8. doi: 10.1016/j.bmcl.2009.03.106.
- Molfetta R, Gasparrini F, Peruzzi G, Vian L, Piccoli M, Frati L, Santoni A, Paolini R. Lipid raft-dependent FcepsilonRI ubiquitination regulates receptor endocytosis through the action of ubiquitin binding adaptors. *PLoS One*. 2009, 4:e5604. doi: 10.1371/journal.pone.0005604.
- Moult J, Fidelis K, Kryshchuk A, Rost B, Tramontano A. Critical assessment of methods of protein structure prediction - Round VIII. *Proteins*. 2009, 77: 1-4. doi: 10.1002/prot.22589.
- Musayev FN, Di Salvo ML, Saavedra MA, Contestabile R, Ghatge MS, Haynes A, Schirch V, Safo MK. Molecular basis of reduced pyridoxine 5'-phosphate oxidase catalytic activity in neonatal epileptic encephalopathy disorder. *J Biol Chem*. 2009, 284: 30949-56. doi: 10.1074/jbc.M109.038372.
- Muscolini M, Montagni E, Caristi S, Nomura T, Kamada R, Di Agostino S, Corazzari M, Piacentini M, Blandino G, Costanzo A, Sakaguchi K, Tuosto L. Characterization of a new cancer-associated mutant of p53 with a missense mutation (K351N) in the tetramerization domain. *Cell Cycle*. 2009, 8: 3396-405. doi: 10.4161/cc.8.20.9910.
- Naldi M, Calonghi N, Masotti L, Parolin C, Valente S, Mai A, Andrisano V. Histone post-translational modifications by HPLC-ESI-MS after HT29 cell treatment with HDAC inhibitors. *Proteomics*. 2009, 9: 5437-45. doi: 10.1002/pmic.200800866.
- Nebbioso A, Manzo F, Miceli M, Conte M, Manente L, Baldi A, De Luca A, Rotili D, Valente S, Mai A, Usiello A, Gronemeyer H, Altucci L. Selective class II HDAC inhibitors impair myogenesis by modulating the stability and activity of HDAC-MEF2 complexes. *EMBO Rep*. 2009, 10: 776-82. doi: 10.1038/embor.2009.88.
- Nencioni L, De Chiara G, Sgarbanti R, Amatore D, Aquilano K, Marcocci ME, Serafino A, Torcia M, Cozzolino F, Ciriolo MR, Garaci E, Palamara AT. Bcl-2 expression and p38MAPK activity in cells infected with influenza A virus: impact on virally induced apoptosis and viral replication. *J Biol Chem*. 2009, 284: 16004-15. doi: 10.1074/jbc.M900146200.
- Paladini F, Belfiore F, Cocco E, Carcassi C, Cauli A, Vacca A, Fiorillo MT, Mathieu A, Cascino I, Sorrentino R. HLA-E gene polymorphism associates with Ankylosing Spondylitis in Sardinia. *Arthritis Res Ther*. 2009, 11: R171. doi: 10.1186/ar2860.
- Palazzolo I, Stack C, Kong L, Musarò A, Adachi H, Katsuno M, Sobue G, Taylor JP, Sumner CJ, Fischbeck KH, Pennuto M. Overexpression of IGF-1 in muscle attenuates disease in a mouse model of spinal and bulbar muscular atrophy. *Neuron*. 2009, 13: 316-28. doi: 10.1016/j.neuron.2009.07.019.
- Pennacchietti E, Lammens TM, Capitani G, Franssen MC, John RA, Bossa F, De Biase D. Mutation of His465 alters the pH-dependent spectroscopic properties of *Escherichia coli* glutamate decarboxylase and broadens the range of its activity toward more alkaline pH. *J Biol Chem*. 2009, 284: 31587-96. doi: 10.1074/jbc.M109.049577.
- Piacentini L, Fanti L, Negri R, Del Vescovo V, Fatica A, Altieri F, Pimpinelli S. Heterochromatin protein 1 (HP1a) positively regulates euchromatic gene expression through RNA transcript association and interaction with hnRNPs in *Drosophila*. *PLoS Genet*. 2009, 5: e1000670. doi: 10.1371/journal.pgen.1000670.
- Piscitelli F, Coluccia A, Brancale A, La Regina G, Sansone A, Giordano C, Balzarini J, Maga G, Zanolli Z, Samuele A, Cirilli R, La Torre F, Lavecchia A, Novellino E, Silvestri R. Indolyl aryl sulfones bearing natural and unnatural aminoacids. Discovery of potent inhibitors of both HIV-1 non-nucleoside wild type and resistant mutant strains reverse transcriptase, and coxsackie B+ virus. *J Med Chem*. 2009, 52: 1922-34. doi: 10.1021/jm801470b.
- Puttini S, Lekka M, Dorchies OM, Saugy D, Incitti T, Ruegg UT, Bozzoni I, Kulik AJ, Mermod N. Gene-mediated restoration of normal myofiber elasticity in dystrophic muscles. *Mol Ther*. 2009, 17: 19-25. doi: 10.1038/mt.2008.239.
- Rizzuto E, Musarò A, Catizone A, Del Prete Z. Measuring tendon properties in mdx mice: cell viability and viscoelastic characteristics. *J Biomech*. 2009, 42: 2243-8. doi: 10.1016/j.jbiomech.2009.06.041.
- Robinett CC, Giansanti MG, Gatti M, Fuller MT. TRAPP II function is required for cleavage furrow ingression and localization of Rab11 in dividing male meiotic cells of *Drosophila*. *J Cell Sci*. 2009, 122: 4526-34. doi: 10.1242/jcs.054536.
- Rocco F, De Gregorio E, Colonna B, Di Nocera PP. *Stenotrophomonas maltophilia* genomes: a start-up comparison. *Int J Med Microbiol*. 2009, 299: 535-46. doi: 10.1016/j.ijmm.2009.05.004.
- Roseti C, Palma E, Martinello K, Fucile S, Morace R, Esposito V, Cantore G, Arcella A, Giangaspero F,

- Aronica E, Mascia A, Di Gennaro G, Quarato PP, Manfredi M, Cristalli G, Lambertucci C, Marucci G, Volpini R, Limatola C, Eusebi F. Blockage of A2A and A3 adenosine receptors decreases the desensitization of human GABA(A) receptors microtransplanted to *Xenopus* oocytes. *Proc Natl Acad Sci USA*. 2009, 106: 15927-31. doi: 10.1073/pnas.0907324106.
- Rotili D, Simonetti G, Savarino A, Palamara AT, Migliaccio AR, Mai A. Non-cancer uses of histone deacetylase inhibitors: effects on infectious diseases and beta-hemoglobinopathies. *Curr Top Med Chem*. 2009, 9: 272-91.
- Saladino R, Crestini C, Ciciriello F, Pino S, Costanzo G, Di Mauro E. From formamide to RNA: the roles of formamide and water in the evolution of chemical information. *Res Microbiol*. 2009, 160: 441-8. doi: 10.1016/j.resmic.2009.06.001.
- Samuele A, Kataropoulou A, Viola M, Zanolina S, La Regina G, Piscitelli F, Silvestri R, Maga G. Non-nucleoside HIV-1 reverse transcriptase inhibitors di-halo-indolyl aryl sulfones achieve tight binding to drug-resistant mutants by targeting the enzyme-substrate complex. *Antivir Res*. 2009, 81: 47-55. doi: 10.1016/j.antiviral.2008.09.008.
- Scaloni F, Gianni S, Federici L, Falini B, Brunori M. Folding mechanism of the C-terminal domain of nucleophosmin: residual structure in the denatured state and its pathophysiological significance. *FASEB J*. 2009, 8: 2360-5. doi: 10.1096/fj.08-128306.
- Scicchitano BM, Rizzuto E, Musarò A. Counteracting muscle wasting in aging and neuromuscular diseases: the critical role of IGF-1. *Aging*. 2009, 11: 451-7.
- Scipioni A, Morosetti S, De Santis P. A statistical thermodynamic approach for predicting the sequence-dependent nucleosome positioning along genomes. *Biopolymers*. 2009, 91: 1143-53. doi: 10.1002/bip.21276.
- Simmaco M, Kreil G, Barra D. Bombinins, antimicrobial peptides from *Bombina* species. *Biochim Biophys Acta*. 2009, 1788: 1551-5. doi: 10.1016/j.bbamem.2009.01.004.
- Soriani A, Zingoni A, Cerboni C, Iannitto ML, Ricciardi MR, Di Galleonardo V, Cippitelli M, Fionda C, Petrucci MT, Guarini A, Foà R, Santoni A. ATM-ATR-dependent up-regulation of DNAM-1 and NKG2D ligands on multiple myeloma cells by therapeutic agents results in enhanced NK-cell susceptibility and is associated with a senescent phenotype. *Blood*. 2009, 113: 3503-11. doi: 10.1182/blood-2008-08-173914.
- Starace D, Muciaccia B, Morgante E, Russo MA, Pensini S, D'agostino A, De Cesaris P, Filippini A, Ziparo E, Riccioli A. Peculiar subcellular localization of Fas antigen in human and mouse spermatozoa. *Microsc Res Tech*. 2009, 72: 573-9. doi: 10.1002/jemt.20700.
- Tilesi F, Fradiani P, Socci V, Willems D, Ascenzioni F. Design and validation of siRNAs and shRNAs. *Curr Opin Mol Ther*. 2009, 11: 156-64. doi: 10.1016/j.sbi.2008.12.001.
- Travaglini-Allocatelli C, Ivarsson Y, Jemth, P, Gianni S. Folding and stability of globular proteins and implications for function. *Curr Opin Struct Biol*. 2009, 19: 3-7. doi: 10.1016/j.sbi.2008.12.001.
- Vicente JB, Testa F, Mastronicola D, Forte E, Sarti P, Teixeira M, Giuffrè A. Redox properties of the oxygen-detoxifying flavodiiron protein from the human parasite *Giardia intestinalis*. *Arch Biochem Biophys*. 2009, 488: 9-13. doi: 10.1016/j.abb.2009.06.011.
- Visco V, Bava FA, d'Alessandro F, Cavallini M, Ziparo V, Torrisi MR. Human colon fibroblasts induce differentiation and proliferation of intestinal epithelial cells through the direct paracrine action of keratinocyte growth factor. *J Cell Physiol*. 2009, 220: 204-13. doi: 10.1002/jcp.21752.
- Vivoli M, Angelucci F, Ilari A, Morea V, Angelaccio S, di Salvo ML, Contestabile R. Role of a conserved active site cation- π interaction in *Escherichia coli* serine hydroxymethyltransferase. *Biochemistry*. 2009, 48: 12034-46. doi: 10.1021/bi901568b.
- Wainman A, Creque J, Williams B, Williams EV, Bonaccorsi S, Gatti M, and Goldberg ML. Roles of the *Drosophila* NudE protein in kinetochore function and centrosome migration. *J Cell Sci*. 2009, 122: 1747-58. doi:10.1242/jcs.041798.
- Wegert M, La Monica N, Tripodi M, Adler G, Dikopoulos N. Impaired interferon type I signalling in the liver modulates the hepatic acute phase response in hepatitis C virus transgenic mice. *J Hepatol*. 2009, 51: 271-8. doi: 10.1016/j.jhep.2009.03.014.
- Zampieri M, Passananti C, Calabrese R, Perilli M, Corbi N, De Cave F, Guastafierro T, Bacalini MG, Reale A, Amicosante G, Calabrese L, Zlatanova J, Caiafa P. Parp1 localizes within the Dnmt1 promoter and protects its unmethylated state by its enzymatic activity. *PLoS One*. 2009, 4: e4717. doi: 10.1371/journal.pone.0004717.
- Zanni E, Farina F, Ricci A, Frank C, Mancini P, Pallese C, Uccelletti D. The Golgi alpha 1,6 mannosyltransferase K10ch1p of *Kluyveromyces lactis* is required for Ca²⁺/calmodulin-based signaling and for proper mitochondrial functionality. *BMC Cell Biology*. 2009, 10: 86. doi: 10.1186/1471-2121-10-86.

BIBLIOGRAPHY 2009

Zlatanova J, Caiafa P. CCCTC-binding factor: to loop or to bridge. *Cell Mol Life Sci.* 2009, 66: 1647-60. doi: 10.1007/s00018-009-8647-z.

Zlatanova J, Caiafa P. CTCF and its protein partners: divide and rule? *J Cell Sci.* 2009, 122: 1275-84. doi: 10.1242/jcs.039990.