

- Agostinelli E, Toninello A, Vianello F, Stevanato R. Do mammalian amine oxidases and the mitochondrial polyamine transporter have similar protein structures? *Amino Acids* 2011 Epub. doi: 10.1007/s00726-011-0988-x.
- Agostinelli E. Role of polyamines, their analogs and transglutaminases in biological and clinical perspectives. *Amino Acids* 2011 Epub. doi: 10.1007/s00726-011-1129-2
- Ajmone-Cat M, Salvatori M, De Simone R, Mancini M, Biagioni S, Bernardo A, Cacci E, Minghetti L. Docosahexaenoic acid modulates inflammatory and antineurogenic functions of activated microglial cells. *J Neurosci Res* 2011 Epub. doi: 10.1002/jnr.22783.
- Angelucci A, Miele AE, Boumis G, Brunori M, Dimastrogiovanni D, Bellelli A. Macromolecular bases of antischistosomal therapy. *Curr Top Med Chem* 2011, 11: 2012-28. doi: 10.2174/156802611796575939.
- Ardolino M, Zingoni A, Cerboni C, Cecere F, Soriani A, Iannitto ML, Santoni A. DNAM-1 ligand expression on Ag-stimulated T lymphocytes is mediated by ROS-dependent activation of DNA-damage response: relevance for NK-T cell interaction. *Blood* 2011;117: 4778-86. doi: 10.1182/blood-2010-08-300954
- Bacalini MG, Di Lonardo D, Catizone A, Ciccarone F, Bruno T, Zampieri M, Guastafierro T, Calabrese R, Fanciulli M, Passananti C, Caiafa P, Reale A. Poly(ADP-ribosyl)ation affects stabilization of Che-1 protein in response to DNA damage. *DNA Repair (Amst)* 2011, 10: 380-9. doi:10.1016/j.dnarep.2011.01.002.
- Bacalini MG, Tavolaro S, Peragine N, Marinelli M, Santangelo S, Del Giudice I, Mauro FR, Di Maio V, Ricciardi MR, Caiafa P, Chiaretti S, Foà R, Guarini A, Reale A. A subset of chronic lymphocytic leukemia patients display reduced levels of PARP1 expression coupled with a defective irradiation-induced apoptosis. *Exp Hematol* 2011 Epub. doi: 10.1016/j.exphem.2011.11.005.
- Barbagallo M, Martino ML, Marcocci L, Pietrangeli P, Carolis ED, Casalino M, Colonna B, Prosseda G. A new piece of the *Shigella* pathogenicity puzzle: spermidine accumulation by silencing of the speG gene. *PLoS One* 2011, 6:e27226. doi: 10.1371/journal.pone.0027226.
- Barbarulo A, Grazioli P, Campese AF, Bellavia D, Di Mario G, Pelullo M, Ciuffetta A, Colantoni S, Vacca A, Frati L, Gulino A, Felli MP, Screpanti I. Notch3 and canonical NF-kappaB signaling pathways cooperatively regulate Foxp3 transcription. *J Immunol* 2011, 186: 6199-206. doi: 10.4049/jimmunol.1002136.
- Barile L, Cerisoli F, Frati G, Gaetani R, Chimenti I, Forte E, Cassinelli L, Spinardi L, Altomare C, Kizana E, Giacomello A, Messina E, Ottolenghi S, Magli MC. Bone marrow-derived cells can acquire cardiac stem cells properties in damaged heart. *J Cell Mol Med* 2011, 15: 63-71. doi: 10.1111/j.1582-4934.2009.00968.x.
- Belleudi F, Leone L, Purpura V, Cannella F, Scrofani C, Torrisi MR. HPV16 E5 affects the KGFR/FGFR2b-mediated epithelial growth through alteration of the receptor expression, signaling and endocytic traffic. *Oncogene* 2011, 30: 4963-76. doi: 10.1038/onc.2011.203.
- Belleudi F, Purpura V, Scrofani C, Persechino F, Leone L, Torrisi MR. Expression and signaling of the tyrosine kinase FGFR2b/KGFR regulates phagocytosis and melanosome uptake in human keratinocytes. *FASEB J* 2011, 25: 170-81. doi: 10.1096/fj.10-162156.



- Belleudi F, Purpura V, Torrisi MR. The receptor tyrosine kinase FGFR2b/KGFR controls early differentiation of human keratinocytes. *PLoS One* 2011, 6:e24194. doi: 10.1371/journal.pone.0024194.
- Belleudi F, Scrofani C, Torrisi MR, Mancini P. Polarized endocytosis of the keratinocyte growth factor receptor in migrating cells: role of Src-signaling and cortactin. *PLoS One* 2011, 6:e29159. doi: 10.1371/journal.pone.0029159.
- Benedetti M, Leggio C, Federici L, De Lorenzo G, Pavel NV, Cervone F. Structural resolution of the complex between a fungal polygalacturonase and a plant polygalacturonase-inhibiting protein by Small-Angle X-Ray Scattering. *Plant Physiol* 2011, 157: 599-607. doi: <http://dx.doi.org/10.1104/pp.111.181057>.
- Benelli D, Londei P. Translation initiation in Archaea: conserved and domain-specific features. *Biochem Soc Trans* 2011, 3: 89-93.
- Bernareggi A, Grilli M, Marchi M, Limatola C, Ruzzier F, Eusebi F. Characterization of GABA(A) receptors expressed in glial cell membranes of adult mouse neocortex using a *Xenopus* oocyte microtransplantation expression system. *J Neurosci Methods* 2011, 198: 77-83. <http://dx.doi.org/10.1016/j.jneumeth.2011.03.011>.
- Bhunja A, Saravanan R, Mohanram H, Mangoni ML, Bhattacharjya S. NMR structures and interactions of temporin-1TI and temporin-1Tb with lipopolysaccharide micelles: mechanistic insights into outer membrane permeabilization and synergistic activity. *J Biol Chem* 2011, 286: 24394-406. doi: 10.1074/jbc.M110.189662.
- Biava M, Porretta GC, Poce G, Battilocchio C, Alfonso S, de Logu A, Manetti F, Botta M. Developing pyrrole-derived antimycobacterial agents: a rational lead optimization approach. *ChemMedChem* 2011, 6: 593-9. doi: 10.1002/cmdc.201000526.
- Borisov VB, Forte E, Sarti P, Giuffrè A. Catalytic intermediates of cytochrome *bd* terminal oxidase at steady-state: ferryl and oxy-ferrous species dominate. *Biochim Biophys Acta* 2011, 1807: 503-9. doi: 10.1016/j.bbabi.2011.02.007.
- Bosch-Marcé M, Wee CD, Martinez TL, Lipkes CE, Choe DW, Kong L, Van Meerbeke JP, Musarò A, Sumner CJ. Increased IGF-1 in muscle modulates the phenotype of severe SMA mice. *Hum Mol Genet* 2011, 20: 1844-53. doi: 10.1093/hmg/ddr067.
- Bosio MC, Negri R, Dieci G. Promoter architectures in the yeast ribosomal expression program. *Transcription* 2011, 2: 71-77. doi: 10.4161/trns.2.2.14486.
- Boumis G, Angelucci F, Bellelli A, Brunori M, Dimastrogiovanni D, Miele AE. Structural and functional characterization of *Schistosoma mansoni* Thioredoxin. *Protein Sci* 2011, 20: 1069-76. doi: 10.1002/pro.634.
- Cacchiarelli D, Incitti T, Martone J, Cesana M, Cazzella V, Santini T, Sthandier O, Bozzoni I. miR-31 modulates dystrophin expression: novel implications in Duchenne muscular dystrophy therapy. *EMBO Rep* 2011, 12: 136-41. doi: 10.1038/embor.2010.208.
- Cacchiarelli D, Legnini I, Martone J, D'Amico A, Bertini E, Bozzoni I. miRNAs as serum biomarkers for Duchenne muscular dystrophy. *EMBO Mol Med* 2011, 5: 258-65. doi: 10.1002/emmm.201100133.

- Calabrese R, Zampieri M, Mechelli R, Annibali V, Guastafierro T, Ciccarone F, Coarelli G, Umeton R, Salvetti M, Caiafa P. *Methylation-dependent PAD2 upregulation in multiple sclerosis peripheral blood. Mult Scler* 2011 Epub. doi: 10.1177/1352458511421055.
- Caputo B, Santolamazza F, Vicente JL, Nwakanma DC, Jawara M, Palsson K, Jaenson T, White BJ, Mancini E, Petrarca V, Conway DJ, Besansky NJ, Pinto J, della Torre A. The “Far-West” of *Anopheles gambiae* molecular forms. *PLoS One* 2011, 6:e16415. doi: 10.1371/journal.pone.0016415.
- Carosio S, Berardinelli MG, Aucello M, Musarò A. Impact of ageing on muscle cell regeneration. *Ageing Res Rev* 2011, 10: 35-42. <http://dx.doi.org/10.1016/j.arr.2009.08.001>.
- Celona B, Weiner A, Di Felice F, Mancuso FM, Cesarini E, Rossi RL, Gregory L, Baban D, Rossetti G, Grianti P, Pagani M, Bonaldi T, Ragoussis J, Friedman N, Camilloni G, Bianchi ME, Agresti A. Substantial histone reduction modulates genomewide nucleosomal occupancy and global transcriptional output. *PLoS Biol* 2011, 9:e1001086. doi: 10.1371/journal.pbio.1001086.
- Cesana M, Cacchiarelli D, Legnini I, Santini T, Sthandier O, Chinappi M, Tramontano A, Bozzoni I. Key ceRNA role for the long non-coding RNA linc-MD1 in the control of muscle differentiation. *Cell* 2011, 147: 358-69. doi: 10.1016/j.cell.2011.09.028.
- Chimenti I, Rizzitelli G, Gaetani R, Angelini F, Ionta V, Forte E, Frati G, Schussler O, Barbetta A, Messina E, Dentini M, Giacomello A. Human cardiosphere-seeded gelatin or collagen scaffolds as cardiogenic engineered bioconstructs. *Biomaterials* 2011, 32 : 9271-81. doi: 10.1016/j.biomaterials.2011.08.049.
- Cigana C, Lorè NI, Bernardini ML, Bragonzi A. Dampening host sensing and avoiding recognition in *Pseudomonas aeruginosa* pneumonia. *J Biomed Biotechnol* 2011, 852513. doi: 10.1155/2011/852513.
- Cipriani R., Villa P, Chece G, Lauro C, Paladini P, Micotti E, Perego C, De Simoni MG, Fredholm BB, Eusebi F, Limatola C. CX3CL1 is neuroprotective in permanent focal cerebral ischemia in rodents. *J Neurosci* 2011, 31: 16327–35. doi: 10.1523/JNEUROSCI.3611-11.2011.
- Coccia C, Rinaldi AC, Luca V, Barra D, Bozzi A, Di Giulio A, Veerman EC, Mangoni ML. Membrane interaction and antibacterial properties of two mildly cationic peptide diastereomers, bombinins H2 and H4, isolated from Bombina skin. *Eur Biophys J* 2011, 40: 577-88. doi: 10.1007/s00249-011-0681-8.
- Correale S, Pirone L, Di Marcotullio L, De Smaele E, Greco A, Mazzà D, Moretti M, Alterio V, Vitagliano L, Di Gaetano S, Gulino A, Pedone EM. Molecular organization of the cullin E3 ligase adaptor KCTD11. *Biochimie* 2011, 93: 715-24. <http://dx.doi.org/10.1016/j.biochi.2010.12.014>.
- D'Alessio A, Esposito B, Giampietri C, Ziparo E, Pober JS, Filippini A. Plasma membrane micro domains regulate TACE-dependent TNFR1 shedding in human endothelial cells. *J Cell Mol Med* 2011 Epub. doi: 10.1111/j.1582-4934.2011.01353.x.
- De Carolis E, Posteraro B, Florio AR, Colonna B, Prosseda G, Bugli F, Lorenzetti SR, Fiscarelli E, Inzitari R, Iavarone F, Castagnola M, Fadda G, Sanguinetti M. Analysis of heat-induced changes in protein expression of *Stenotrophomonas maltophilia* K279a reveals a role for GroEL in the host-temperature adaptation. *Int J Med Microbiol* 2011, 301: 273-81. doi: 10.1016/j.ijmm.2010.10.001.



- De Jaco A, Comoletti D, Dubi N, Camp S, Taylor P. Processing of cholinesterase-like alpha/beta-hydrolase fold proteins: alterations associated with congenital disorders. *Protein Pept Lett* 2011 Epub.
- De Lorenzo G, Brutus A, Savatin DV, Sicilia F, Cervone F. Engineering plant resistance by constructing chimeric receptors that recognize damage-associated molecular patterns (DAMPs). *FEBS Letters* 2011, 585: 1521-28. doi: 10.1016/j.febslet.2011.04.043.
- De Smaele E, Di Marcotullio L, Moretti M, Pelloni M, Occhione MA, Infante P, Cucchi D, Greco A, Pietrosanti L, Todorovic J, Coni S, Canettieri G, Ferretti E, Bei R, Maroder M, Screpanti I, Gulino A. Identification and characterization of KCASH2 and KCASH3, 2 novel Cullin3 adaptors suppressing histone deacetylase and Hedgehog activity in medulloblastoma. *Neoplasia* 2011, 13: 374-85. doi: 10.1593/neo.101630.
- De Smaele E, Di Marcotullio L, Moretti M, Pelloni M, Occhione MA, Infante P, Cucchi D, Greco A, Pietrosanti L, Todorovic J, Coni S, Canettieri G, Ferretti E, Bei R, Maroder M, Screpanti I, Gulino A. Identification and characterization of KCASH2 and KCASH3, 2 novel Cullin3 adaptors suppressing histone deacetylase and Hedgehog activity in medulloblastoma. *Neoplasia* 2011, 13: 374-85. doi: 10.1593/neo.101630.
- Del Porto P, Cifani N, Guarnieri S, Di Domenico EG, Marigiò MA, Spadaro F, Guglietta S, Anile M, Venuta F, Quattrucci S, Ascenzioni F Dysfunctional CFTR alters the bactericidal activity of human macrophages against *Pseudomonas aeruginosa*. *PLoS One* 2011, 6:e19970. doi: 10.1371/journal.pone.0019970.
- Di Angelantonio S, De Stefano ME, Piccioni A, Lombardi L, Gotti C, Paggi P. Lack of dystrophin functionally affects  $\alpha\beta 2/\beta 4$ -nicotinic acetylcholine receptors in sympathetic neurons of dystrophic mdx mice. *Neurobiol Dis* 41: 528-537. doi:10.1016/j.nbd.2010. 10.024.
- Di Angelantonio S, Piccioni A, Moriconi C, Trettel F, Cristalli G, Grassi F, Limatola C. Adenosine A2A receptor induces protein kinase A-dependent functional modulation of human  $3\{\beta\}$ 4 nicotinic receptor. *J Physiol* 2011, 589: 2755-66. doi: 10.1113/jphysiol.2011.207282.
- Di Marcotullio L, Canettieri G, Infante P, Greco A, Gulino A. Protected from the inside: endogenous histone deacetylase inhibitors and the road to cancer. *Biochim Biophys Acta Rev Cancer* 2011, 1815: 241-52. <http://dx.doi.org/10.1016/j.bbcan.2011.01.002>.
- Di Marcotullio L, Greco A, Mazzà D, Canettieri G, Pietrosanti L, Infante P, Coni S, Moretti M, De Smaele E, Ferretti E, Screpanti I, Gulino A. Numb activates the E3 ligase Itch to control Gli1 function through a novel degradation signal. *Oncogene* 2011, 30: 65-76. doi:10.1038/onc.2010.394.
- Dobrowolny G, Aucello M, Musarò A. Muscle atrophy induced by SOD1G93A expression does not involve the activation of caspase in the absence of denervation. *Skelet Muscle* 2011, 1: 3. doi: 10.1186/2044-5040-1-3.
- Doucette GJ, Mikulski CM, King KL, Roth PB, Wang Z, Leandro LF, Degrasse SL, White KD, De Biase D, Gillett RM, Rolland RM. Endangered North Atlantic right whales (*Eubalaena glacialis*) experience repeated, concurrent exposure to multiple environmental neurotoxins produced by marine algae. *Environ Res* 2011 Epub. doi: 10.1016/j.envres. 2011.09.010.
- Droghetti E, Nicoletti FP, Bonamore A, Sciamanna N, Boffi A, Feis A, Smulevich G. The optical spectra of fluoride complexes can effectively probe H-bonding interactions in the distal cavity of heme proteins. *J Inorg Biochem* 2011, 105: 1338-43. doi: 10.1016/j.jinorgbio.2011.07.007.

- Esposito B, Gambarà G, Lewis AM, Palombi F, D'Alessio A, Taylor LX, Genazzani AA, Ziparo E, Galione A, Churchill GC, Filippini A. NAADP links histamine H1 receptors to secretion of von Willebrand factor in human endothelial cells. *Blood* 2011, 117: 4968-77. doi: 10.1182/blood-2010-02-266338.
- Fabrizi C, Angelini F, Chimenti I, Pompili E, Somma F, Gaetani R, Messina E, Fumagalli L, Giacomello A, Frati G. Thrombin and thrombin-derived peptides promote proliferation of cardiac progenitor cells in the form of cardiospheres without affecting their differentiation potential. *J Biol Regul Homeost Agents* 2011, 25: S43-51.
- Forte E, Chimenti I, Barile L, Gaetani R, Angelini F, Ionta V, Messina E, Giacomello A. Cardiac cell therapy: the next (re)generation. *Stem Cell Rev* 2011, 7: 1018-30. doi: 10.1371/journal.pone.0025669.
- Forte G, Pietronave S, Nardone G, Zamperone A, Magnani E, Pagliari S, Pagliari F, Giacinti C, Nicoletti C, Musaró A, Rinaldi M, Ribezzo M, Comoglio C, Traversa E, Okano T, Minieri M, Prat M, Di Nardo P. Human cardiac progenitor cell grafts as unrestricted source of supernumerary cardiac cells in healthy murine hearts. *Stem Cells* 2011, 29: 2051-61. doi: 10.1002/stem.763.
- Frasconi M, Chichiarelli S, Gaucci E, Mazzei F, Grillo C, Chinazzi A, Altieri F. Interaction of ERp57 with calreticulin: Analysis of complex formation and effects of vancomycin. *Biophys Chem* 2011 Epub. doi: 10.1016/j.bpc.2011.09.003.
- Galletti R, Ferrari S, De Lorenzo G. Arabidopsis MPK3 and MPK6 play different Roles in basal and oligogalacturonide- or flagellin-induced resistance against *Botrytis cinerea*. *Plant Physiol* 2011, 157: 804-14. doi: 10.1104/pp.111.174003.
- Garibaldi F, Cicchini C, Conigliaro A, Santangelo L, Cozzolino AM, Grassi G, Marchetti A, Tripodi M, Amicone L. An epistatic mini-circuitry between the transcription factors Snail and HNF4 $\alpha$  controls liver stem cell and hepatocyte features exhorting opposite regulation on stemness-inhibiting microRNAs. *Cell Death Differ* 2011 Epub. doi: 10.1038/cdd.2011.175.
- Gasparrini F, Molfetta R, Santoni A, Paolini R. Cbl family proteins: balancing Fc $\epsilon$ RI-mediated mast cell and basophil activation. *Int Arch Allergy Immunol* 2011; 156: 16-26. doi: 10.1159/000322236.
- Gasparrini F, Molfetta R, Santoni A, Paolini R. Cbl family proteins: balancing Fc $\epsilon$ RI-mediated mast cell and basophil activation. *Int Arch Allergy Immunol* 2011, 15: 16-26. doi: 10.1159/000322236.
- Gianni S, Haq SR, Montemiglio LC, Jürgens MC, Engström Å, Chi CN, Brunori M, Jemth P. Sequence-specific long range networks in PSD-95/discs large/ZO-1 (PDZ) domains tune their binding selectivity. *J Biol Chem* 2011, 286: 27167-75. doi: 10.1074/jbc.M111.239541.
- Giardina G, Montioli R, Gianni S, Cellini B, Paiardini A, Voltattorni CB, Cutruzzolà F. Open conformation of human DOPA decarboxylase reveals the mechanism of PLP addition to Group II decarboxylases. *Proc Natl Acad Sci USA* 2011, 108: 20514-9. doi: 10.1073/pnas.1111456108.
- Giuffrè A, Borisov VB, Mastronicola D, Sarti P, Forte E. Cytochrome *bd* oxidase and nitric oxide: from reaction mechanisms to bacterial physiology. *FEBS Lett.* 2011 Epub. doi: 10.1016/j.febslet.2011.07.035.
- Grasso M, Fuso A, Dovere L, de Rooij D, Stefanini M, Boitani C, Vicini E. Distribution of GFRA1-expressing spermatogonia in adult mouse testis. *Reproduction* 2011 Epub. doi: 10.1530/REP-11-0385.





- Grieco P, Luca V, Auriemma L, Carotenuto A, Saviello MR, Campiglia P, Barra D, Novellino E, Mangoni ML. Alanine scanning analysis and structure-function relationships of the frog-skin antimicrobial peptide temporin-1Ta. *J Pept Sci* 2011, 17: 358-65. doi: 10.1002/psc.1350.
- Imig J, Motsch N, Zhu JY, Barth S, Okoniewski M, Reineke T, Tinguely M, Faggioni A, Trivedi P, Meister G, Renner C, Grässer FA. MicroRNA profiling in EBV-associated B-cell lymphomas. *Nucleic Acid Res* 2011, 39: 1880-93. doi: 10.1093/nar/gkg1043.
- La Regina G, Bai R, Rensen W, Coluccia A, Piscitelli F, Gatti V, Bolognesi A, Lavecchia A, Granata I, Porta A, Maresca B, Soriani A, Iannitto ML, Mariani M, Santoni A, Brancale A, Ferlini C, Dondio G, Varasi M, Mercurio C, Hamel E, Lavia P, Novellino E, Silvestri R. Design and Synthesis of 2-Heterocyclyl-3-arylthio-1H-indoles as Potent Tubulin Polymerization and Cell Growth Inhibitors with Improved Metabolic Stability. *J Med Chem* 2011, 54: 8394-406. doi: 10.1021/jm2012886.
- La Regina G, Coluccia A, Brancale A, Piscitelli F, Gatti V, Maga G, Samuele A, Pannecouque C, Schols D, Balzarini J, Novellino E, Silvestri R. Indolylarylsulfones as HIV-1 non-nucleoside reverse transcriptase inhibitors. New cyclic substituents at the indole-2-carboxamide. *J Med Chem* 2011, 54, 1587-1598. doi: 10.1021/jm101614j.
- La Regina G, Gatti V, Piscitelli F, Silvestri R. Open vessel and cooling while heating microwave-assisted synthesis of pyridinyl *N*-aryl hydrazones. *ACS Comb Sci* 2011, 13: 2-6. doi: 10.1021/co100015b.
- Lembo Fazio L, Nigro G, Noël G, Rossi G, Chiara F, Tsilingiri K, Rescigno M, Rasola A, Bernardini ML. Gadd45 $\alpha$  activity is the principal effector of *Shigella* mitochondria-dependent epithelial cell death *in vitro* and *ex vivo*. *Cell Death Dis* 2011, 2:e122. doi: 10.1038/cddis.2011.4.
- Maggi L, Scianni M, Branchi I, D'Andrea I, Lauro C, Limatola C. CX3CR1 deficiency alters hippocampal-dependent plasticity phenomena blunting the effects of enriched environment. *Front Cell Neurosci* 2011, 5-22: 1-9. doi: 10.3389/fncel.2011.00022.
- Mancini E, Baldini F, Tammaro F, Calzetta M, Serrao A, George P, Morlais I, Masiga D, Sharakhov IV, Rogers DW, Catteruccia F, della Torre A. Molecular characterization and evolution of a gene family encoding for male-specific reproductive proteins in the African malaria vector *Anopheles gambiae*. *BMC Evol Biol* 2011a, 11: 292. doi: 10.1186/1471-2148-11-292.
- Mancini E, Tammaro F, Baldini F, Via A, Raimondo D, George P, Audisio P, Sharakhov IV, Tramontano A, Catteruccia F, della Torre A. Molecular evolution of a gene cluster of serine proteases expressed in the *Anopheles gambiae* female reproductive tract. *BMC Evol Biol* 2011b, 11: 72. doi: 10.1186/1471-2148-11-72.
- Mancone C, Steindler C, Santangelo L, Simonte G, Vlassi C, Longo MA, D'Offizi G, Di Giacomo C, Pucillo LP, Amicone L, Tripodi M, Alonzi T. Hepatitis C virus production requires apolipoprotein A-I and affects its association with nascent low-density lipoproteins. *Gut* 2011, 60: 378-86. doi:10.1136/gut.2010.211292.
- Mangoni ML, Carotenuto A, Auriemma L, Saviello MR, Campiglia P, Gomez-Monterrey I, Malfi S, Marcellini L, Barra D, Novellino E, Grieco P. Structure-activity relationship, conformational and biological studies of temporin L analogues. *J Med Chem* 2011, 54: 1298-307. doi: 10.1021/jm1012853.
- Mangoni ML, Shai Y. Short native antimicrobial peptides and engineered ultrashort lipopeptides: similarities and differences in cell specificities and modes of action. *Cell Mol Life Sci* 2011, 68: 2267-80. doi: 10.1007/s00018-011-0718-2.

- Marsango S, Bonaccorsi di Patti MC, Barra D, Miele R. Evidence that prokineticin receptor 2 exists as a dimer *in vivo*. *Cell Mol Life Sci* 2011, 68: 2919-29. doi: 10.1007/s00018-010-0601-6, doi: 10.1007/s00018-010-0601-6.
- Mastronicola D, Giuffrè A, Testa F, Mura A, Forte E, Bordi E, Pucillo LP, Fiori PL, Sarti P. *Giardia intestinalis* escapes oxidative stress by colonizing the small intestine: a molecular hypothesis. *IUBMB Life* 2011, 63: 21-5. doi: 10.1002/iub.409.
- Mattarocci S, D'Ambrosio E, Tafaro L, Somma V, Zannino G, Marigliano V, Ascenzioni F, Cimino-Reale G. Erosion of telomeric 3'-overhangs in white blood cells of aged subjects with high frequency of very short telomeres. *Mech Ageing Dev* 2011, 132: 27-32. <http://dx.doi.org/10.1016/j.bbr.2011.03.031>.
- Mazzoni C, Falcone C. mRNA stability and control of cell proliferation. *Biochem Soc Trans* 2011, 39: 1461-5. doi: 10.1042/BST0391461.
- Morrone A, Giri R, Toofanny RD, Travaglini-Allocatelli C, Brunori M, Daggett V, Gianni S. GB1 is not a two-state folder: identification and characterization of an on-pathway intermediate". *Biophys. J* 2011, 101; 2053-60. doi: 10.1016/j.bpj.2011.09.013.
- Morrone A, McCully ME, Bryan PN, Brunori M, Daggett V, Gianni S, Travaglini-Allocatelli C. The denatured state dictates the topology of two proteins with almost identical sequence but different native structure and function. *J Biol Chem* 2011, 286; 3863-72. doi: 10.1074/jbc.M110.155911.
- Mottier-Pavie V, Cenci G, Verni F, Gatti M, Bonaccorsi S. Phenotypic analysis of *misato* function reveals roles of noncentrosomal microtubules in *Drosophila* spindle formation. *J Cell Sci* 2011, 124: 706-717. doi: 10.1242/jcs.072348.
- Muscolini M, Montagni E, Palermo V, Di Agostino S, Gu W, Abdelmoula-Soussi S, Mazzoni C, Blandino G, Tuosto L. The cancer-associated K351N mutation affects the ubiquitination and the translocation to mitochondria of p53 protein. *J Biol Chem* 2011, 286: 39693-702. doi: 10.1074/jbc.M111.279539.
- Muscolini M, Sajeve A, Caristi S, Tuosto L. A novel association between Filamin A and NF- $\kappa$ B Inducing Kinase couples CD28 to Inhibitor of NF- $\kappa$ B kinase a and NF- $\kappa$ B activation. *Immunol Lett* 2011, 136: 203-12. doi:10.1016/j.imlet.2011.01.011.
- Nicoletti FP, Droghetti E, Boechi L, Bonamore A, Sciamanna N, Estrin DA, Feis A, Boffi A, Smulevich G. Fluoride as a probe for H-bonding interactions in the active site of heme proteins: The case of *Thermobifida fusca* hemoglobin. *J Am Chem Soc* 2011, 133: 20970-80. doi: 10.1021/ja209312k.
- Nicoletti M, Iacobino A, Prosseda G, Fiscarelli E, Zarilli R, De Carolis E, Petrucca A, Colonna B, Casalino M. *Stenotrophomonas maltophilia* isolated from cystic fibrosis patients: genotyping analysis and molecular characterization of virulence determinants. *Int J Med Microbiol* 2011, 301: 34-43. doi: 10.1016/j.ijmm.2010.07.003.
- Ohta K, Ito A, Kuriyama S, Lupo G, Kosaka M, Ohnuma S, Nakagawa S, Tanaka H. Tsukushi functions as a Wnt signaling inhibitor by competing with Wnt2b for binding to transmembrane protein Frizzled4. *Proc Natl Acad Sci USA* 2011, 108: 14962-7. doi: 10.1073/pnas.1100513108.
- Oliviero B, Cerino A, Varchetta S, Paudice E, Pai S, Ludovisi S, Zaramella M, Michelone G, Pugnale P, Negro F, Barnaba V, Mondelli MU. Enhanced B-cell differentiation and reduced proliferative capacity in chronic hepatitis C and chronic hepatitis B virus infections. *J Hepatol* 2011, 55: 53-60. doi.org/10.1016/j.jhep.2010.10.016.



- Orecchia A, Scarponi C, Di Felice F, Cesarini E, Avitabile S, Mai A, Mauro ML, Sirri V, Zambruno G, Albanesi C, Camilloni G, Failla CM. Sirtinol treatment reduces inflammation in human dermal microvascular endothelial cells. *PLoS One* 2011, 6:e24307. doi: 10.1371/journal.pone.0024307.
- Paganotti GM, Gallo BC, Verra F, Sirima BS, Nebié I, Diarra A, Coluzzi M, Modiano D. Human genetic variation is associated with Plasmodium falciparum drug resistance. *J Infect Dis* 2011, 20411: 1772-8. doi: 10.1093/infdis/jir629.
- Paladini F, Adinolfi V, Cocco E, Ciociola E, Tamburrano G, Cascino I, Lucantoni F, Morano S, Sorrentino R. Gender-dependent association of type 2 diabetes with the vasoactive intestinal peptide receptor 1. *Gene* 2011 Epub. doi: 10.1016/j.bbr.2011.03.031.
- Paladini F, Cocco E, Potalicchio I, Fazekasova H, Lombardi G, Fiorillo MT, Sorrentino R. Divergent effect of cobalt and Beryllium salts on the fate of peripheral blood monocytes and T lymphocytes. *Toxicol Sci* 2011, 119: 257-69. doi: 10.1093/toxsci/kfq328.
- Palermo R, Checquolo S, Giovenco A, Grazioli P, Kumar V, Campese AF, Giorgi A, Napolitano M, Canettieri G, Ferrara G, Schininà ME, Maroder M, Frati L, Gulino A, Vacca A, Screpanti I. Acetylation controls Notch3 stability and function in T-cell leukemia. *Oncogene* 2011 Epub. doi: 10.1038/onc.2011.533.
- Palermo V, Pieri L, Silvestri R, La Regina G, Falcone C, Mazzoni C. Drug-induced inhibition of tubulin polymerization induces mitochondrion-mediated apoptosis in yeast. *Cell Cycle* 2011, 10: 3208-09. doi: 10.4161/cc.10.18.16514.
- Palma E, Inghilleri M, Conti L, Deflorio C, Frasca V, Manteca A, Pichiorri F, Roseti C, Torchia G, Limatola C, Grassi F, Miledi R. Physiological characterization of human muscle acetylcholine receptors from ALS patients. *Proc Natl Acad Sci U S A* 2011, 108: 20184-8. doi: 10.1073/pnas.1117975108.
- Piccinni E, Chelstowska A, Hanus J, Widlak P, Loreti S, Tata AM, Augusti-Tocco G, Bianchi MM, Negri R. Direct interaction of Gas41 and Myc encoded by amplified genes in nervous system tumours. *Acta Biochim Pol* 2011, 58: 529-34.
- Pierangeli A, Scagnolari C, Selvaggi C, Verzaro S, Spina MT, Bresciani E, Antonelli G, Bertazzoni G. Rhinovirus frequently detected in elderly adults attending an emergency department. *J Med Virol* 2011, 83: 2043-7. doi: 10.1002/jmv.22205.
- Pino S, Costanzo G, Giorgi A, Di Mauro E. Sequence complementarity-driven nonenzymatic ligation of RNA. *Biochemistry* 2011, 50: 2994-3003. doi: 10.1021/bi101981z.
- Raffa GD, Capponi L, Cenci G, Gatti M. Terminin: a protein complex that mediates epigenetic maintenance of *Drosophila* telomeres. *Nucleus* 2011, 2: 383-91. doi: <http://dx.doi.org/10.4161/nucl.2.5.17873>.
- Ragno R, Gioia U, Laneve P, Bozzoni I, Mai A, Caffarelli E. Identification of small-molecule inhibitors of the XendoU endoribonucleases family. *ChemMedChem* 2011, 6: 1797-805. doi: 10.1002/cmdc.201100281.
- Raiola A, Lionetti V, Elmaghraby I, Immerzeel P, Mellerowicz EJ, Salvi G, Cervone F, Bellincampi D. Pectin methylesterase is induced in *Arabidopsis* upon infection and is necessary for a successful colonization by necrotrophic pathogens. *Mol Plant-Microbe Interact* 2011, 24: 432-40. doi: <http://dx.doi.org/10.1094/MPMI-07-10-0157>.



- Rizzo C, Ronca R, Fiorentino G, Mangano VD, Sirima SB, Nèbiè I, Petrarca V, Modiano D, Arcà B. Wide cross-reactivity between *Anopheles gambiae* and *Anopheles funestus* SG6 salivary proteins supports exploitation of gSG6 as a marker of human exposure to major malaria vectors in tropical Africa. *Malar J* 2011, 10: 206. doi: 10.1186/1475-2875-10-206.
- Rizzo C, Ronca R, Fiorentino G, Verra F, Mangano V, Poinsignon A, Sirima SB, Nèbiè I, Lombardo F, Remoue F, Coluzzi M, Petrarca V, Modiano D, Arcà B. Humoral response to the *Anopheles gambiae* salivary protein gSG6: a serological indicator of exposure to Afrotropical malaria vectors. *PLoS One* 2011, 6:e17980. doi: 10.1371/journal.pone.0017980.
- Romagnoli G, Cundari E, Negri R, Crescenzi M, Farina L, Giuliani A, Bianchi MM. Synchronous protein cycling in batch cultures of the yeast *Saccharomyces cerevisiae* at log growth phase *Exp Cell Res* 2011, 317: 2958-68. doi: 10.1016/j.yexcr.2011.09.007.
- Rossi R, Lichtner M, De Rosa A, Sauzullo I, Mengoni F, Massetti AP, Mastroianni CM, Vullo V. *In vitro* effect of anti-human immunodeficiency virus CCR5 antagonist maraviroc on chemotactic activity of monocytes, macrophages and dendritic cells. *Clin Exp Immunol* 2011, 166: 184-90. doi: 10.1111/j.1365-2249.2011.04409.x.
- Saccoccia F, Angelucci F, Boumis G, Brunori M, Miele AE, Williams DL, Bellelli A. On the mechanism and rate of gold incorporation into thiol-dependent flavoreductases. *J Inorg Biochem* 2011 Epub. doi: 10.1016/j.jinorgbio.2011.11.005.
- Saladino R, Crestini C, Pino S, Costanzo G, Di Mauro E. Formamide and the origin of life. *Phys Life Rev* 2011 Epub. 2011. doi: 10.1016/j.plrev.2011.12.002.
- Salvatori B, Iosue I, Djodji Damas N, Mangiavacchi A, Chiaretti S, Messina M, Padula F, Guarini A, Bozzoni I, Fazi F, Fatica A. Critical role of c-Myc in acute myeloid Leukemia involving direct regulation of miR-26a and histone methyltransferase EZH2. *Genes Cancer* 2011, 2: 585-92. doi: 10.1177/1947601911416357.
- Samuele A, Bisi S, Kataropoulou A, La Regina G, Piscitelli F, Gatti V, Silvestri R, Maga G. Mechanism of interaction of novel indolyl arylsulfone derivatives with K103N and Y181I mutant HIV-1 reverse transcriptase in complex with its substrates. *Antiviral Chem Chemoth* 2011, 22, 107-118, doi: 10.3851/IMP1855.
- Santangelo L, Marchetti A, Cicchini C, Conigliaro A, Conti B, Mancone C, Bonzo JA, Gonzalez FJ, Alonzi T, Amicone L, Tripodi M. The stable repression of mesenchymal program is required for hepatocyte identity: a novel role for hepatocyte nuclear factor 4 $\alpha$ . *Hepatology* 2011, 53: 2063-74. doi: 10.1002/hep.24280.
- Sarti P, Forte E, Mastronicola D, Giuffrè A, Arese M. Cytochrome c oxidase and nitric oxide in action: molecular mechanisms and pathophysiological implications. *Biochim Biophys Acta* 2011 Epub. doi: 10.1016/j.bbabbio.2011.09.002.
- Sauzullo I, Massetti AP, Mengoni F, Rossi R, Lichtner M, Ajassa C, Vullo V, Mastroianni CM. Influence of previous tuberculin skin test on serial IFN- $\gamma$  release assays. *Tuberculosis (Edinb)* 2011, 91: 322-26. doi: 10.1016/j.tube.2011.05.004.
- Savatin DV, Ferrari S, Sicilia F, De Lorenzo G. Oligogalacturonide-auxin antagonism does not require posttranscriptional gene silencing or stabilization of auxin response repressors in *Arabidopsis*. *Plant Physiol* 2011, 157: 1163-74. doi: <http://dx.doi.org/10.1104/pp.111.184663>.



- Scagnolari C, Trombetti S, Selvaggi C, Carbone T, Monteleone K, Spano L, Di Marco P, Pierangeli A, Maggi F, Riva E, Antonelli G. *In vitro* sensitivity of human metapneumovirus to type I interferons. *Viral Immunol* 2011, 24: 159-64. doi: 10.1089/vim.2010.0073.
- Scagnolari C, Trombetti S, Soldà A, Selvaggi C, Monteleone K, Spano L, Pierangeli A, Clementi M, Turriziani O, Antonelli G. Pandemic 2009 H1N1 influenza virus is resistant to the antiviral activity of several interferon alpha subtypes. *J Interferon Cytokine Res* 2011, 31: 475-9. doi: 10.1089/jir.2010.0125.
- Scaldaferri ML, Fera S, Grisanti L, Sanchez M, Stefanini Mario, De Felici M, Vicini E. Identification of side population cells in mouse primordial germ cells and prenatal testis. *Int J Dev Biol* 2011, 55: 209-14. doi: 10.1387/ijdb.092977ms.
- Scipioni A, De Santis P. Predicting nucleosome positioning in genomes: Physical and bioinformatic approaches. *Biophys Chem* 155: 53-64. doi: 10.1016/j.bpc.2011.03.006.
- Sciumè G, De Angelis G, Benigni G, Ponzetta A, Morrone S, Santoni A, Bernardini G. CX3CR1 expression defines 2 KLRG1+ mouse NK-cell subsets with distinct functional properties and positioning in the bone marrow. *Blood* 2011, 117: 4467-75. doi: 10.1182/blood-2010-07-297101.
- Spadaro F, Lapenta C, Donati S, Abalsamo L, Barnaba V, Belardelli F, Santini SM, Ferrantini M. Interferon-alpha enhances cross-presentation in human dendritic cells by modulating antigen survival, endocytic routing and processing. *Blood* 2011 Epub. doi: 10.1182/blood-2011-06-363564.
- Stevanato R, Cardillo S, Braga M, De Iulius A, Battaglia V, Toninello A, Agostinelli E, Vianello F. Preliminary kinetic characterization of a copper amine oxidase from rat liver mitochondria matrix. *Amino Acids* 2011, 40: 713-20. doi: 10.1007/s00726-010-0708-y.
- Testa F, Mastronicola D, Cabelli DE, Bordi E, Pucillo LP, Sarti P, Saraiva LM, Giuffrè A, Teixeira M. The superoxide reductase from the early diverging eukaryote *Giardia intestinalis*. *Free Radic Biol Med* 2011, 51: 1567-74. doi: 10.1016/j.freeradbiomed.2011.07.017.
- Tran CN, Giangrossi M, Prosseda G, Brandi A, Di Martino ML, Colonna B, Falconi M. A multifactor regulatory circuit involving H-NS, VirF and an antisense RNA modulates transcription of the virulence gene *icsA* of *Shigella flexneri*. *Nucleic Acids Res* 2011, 39: 8122-34. doi: 10.1093/nar/gkr521.
- Tuosto L. NF- $\kappa$ B family of transcription factors: Biochemical players of CD28 co-stimulation. *Immunol Lett* 2011, 135: 1-9. doi:10.1016/j.imlet.2010.09.005.
- Turano C, Gaucci E, Grillo C, Chichiarelli S. ERp57/GRP58: a protein with multiple functions. *Cell Mol Biol Lett* 2011, 16: 539-63. doi: 10.2478/s11658-011-0022-z.
- Valente S, Tomassi S, Tempera G, Saccoccio S, Agostinelli E, Mai A. Novel Reversible Monoamine Oxidase A Inhibitors: Highly Potent and Selective 3-(1H-Pyrrol-3-yl)-2-oxazolidinones. *J Med Chem* 2011, 54: 8228-32. Epub 2011 Nov 7. doi: 10.1021/jm201011x.
- Yu Z, Bekker M, Tramonti A, Cook GM, van Ulsen P, Scheffers DJ, de Mattos JT, De Biase D, Luirink J. Activators of the glutamate-dependent acid resistance system alleviate deleterious effects of YidC depletion in *Escherichia coli*. *J Bacteriol* 2011, 193: 1308-16. doi: 10.1128/JB.01209-10.